Brain Research, 596 (1992) 357–359
Elsevier Science Publishers B.V.

Author Index

Aanonsen, L.M., Kajander, K.C., Bennett, G.J. and Seybold, V.S.
Autoradiographic analysis of ^{125}I-substance P binding in rat spinal cord following chronic constriction injury of the sciatic nerve (596) 259
Alafuzoff, I., see Svensson, A.-L. (596) 142
Albin, R.L., see Turgeon, S.M. (596) 30
Aoki, C., Go, C.-G., Wu, K. and Siekevitz, P.
Light and electron microscopic localization of α subunits of GTP-binding proteins, G_o and G_i, in the cerebral cortex and hippocampus of rat brain (596) 189
Aono, T., see Sakaguchi, T. (596) 337
Arai, M., Arai, R., Kani, K. and Jacobowitz, D.M.
Immunohistochemical localization of calretinin in the rat lateral geniculate nucleus and its retino-geniculate projection (596) 215
Arai, R., see Arai, M. (596) 215
Araki, T., see Kato, H. (596) 315
Århem, P., see Johansson, S. (596) 133
Asahara, T., see Nishimura, Y. (596) 305
Ashizawa, T., see Narita, M. (596) 209

Banay-Schwartz, M., see Benuck, M. (596) 296
Benavides, J., see Bourdiol, F. (596) 183
Bennett, G.J., see Aanonsen, L.M. (596) 259
Benuck, M., Banay-Schwartz, M., Ramacci, M.T. and Lajtha, A.
Peroxidative stress effects on calpain activity in brain of young and adult rats (596) 296
Berkley, K.J., see Robbins, A. (596) 353
Blasquez, C., Jégou, S., Bunel, D.T., Fournier, A. and Vaudry, H.
Neuropeptide Y inhibits α-MSH release from rat hypothalamic slices through a pertussis toxin-sensitive G protein (596) 163
Bohus, B., see Roozendaal, B. (596) 35
Bourdiol, F., Fage, D., Serrano, A., Carter, C., Benavides, J. and Scatton, B.
Neurotoxic effects of the intrastriatal injection of spermine and spermidine: lack of involvement of NMDA receptors (596) 183
Bowen, D.M., see Pangalos, M.N. (596) 223
Brabec, R.K., see Wood, R.I. (596) 89
Bruno, J.P., see Moore, H. (596) 17
Bunel, D.T., see Blasquez, C. (596) 163
Buwalda, B., see De Jong, G.I. (596) 345

Carter, C., see Bourdiol, F. (596) 183
Cerne, R., Jiang, M. and Randić, M.
Cyclic adenosine 3′5′-monophosphate potentiates excitatory amino acid and synaptic responses of rat spinal dorsal horn neurons (596) 111
Chrétien, L., see Tousignant, C. (596) 243
Coleman, A.E., Geula, C., Price, B.H. and Mesulam, M.-M.
Differential laminar distribution of acetylcholinesterase and butyrylcholinesterase containing tangles in the cerebral cortex of Alzheimer's disease (596) 340
Connelly, C.A., Otto-Smith, M.R. and Feldman, J.L.
Blockade of NMDA receptor-channels by MK-801 alters breathing in adult rats (596) 99

De Jong, G.I., Buwalda, B., Schuurman, T. and Luiten, P.G.M.
Synaptic plasticity in the dentate gyrus of aged rats is altered after chronic nimodipine application (596) 345
Driscoll, P., see Roozendaal, B. (596) 35

Eldred, W.D., see Zhang, D. (596) 46

Fage, D., see Bourdiol, F. (596) 183
Feenstra, M.G.P., Kalsbeek, A. and Van Galen, H.
Neonatal lesions of the ventral tegmental area affect monoaminergic responses to stress in the medial prefrontal cortex and other dopamine projection areas in adulthood (596) 169
Feldman, J.L., see Connelly, C.A. (596) 99
Felipo, V., see Miñana, M.D. (596) 157
Foster, A.C., see Pangalos, M.N. (596) 223
Fournier, A., see Blasquez, C. (596) 163
Francis, P.T., see Pangalos, M.N. (596) 223
Frederick Wooten, G., see Harrison, M.B. (596) 330
Fredholm, B.B., see Meana, J.J. (596) 65
Fricker, L.D., see Klein, R.S. (596) 202
Fukuda, T., see Irifune, M. (596) 1

Geula, C., see Coleman, A.E. (596) 340
Gibo, D.M., see Zagon, I.S. (596) 149
Glatt, A., see Lancel, M. (596) 285
Go, C.-G., see Aoki, C. (596) 189
Goiny, M., see Meana, J.J. (596) 65
Grisolía, S., see Miñana, M.D. (596) 157
Guillemette, G., see Tousignant, C. (596) 243

Harris, N.C.
Sensitivity of transient outward rectification to ion channel blocking agents in guinea-pig substantia nigra pars compacta neurones in vitro (596) 325
Harrison, M.B., Wiley, R.G. and Frederick Wooten, G.
The time course of changes in D_1 and D_2 receptor binding in the striatum following a selective lesion of striatonigral neurons (596) 330
Hendricks, S.E., see Yells, D.P. (596) 73
Henry, D.J., Wise, R.A., Rompré, P.-P. and White, F.J.
Acute depolarization block of A10 dopamine neurons: interactions of morphine with dopamine antagonists (596) 231
Herrera-Marschitz, M., see Meana, J.J. (596) 65
Hilton, J.M., see Sexton, P.M. (596) 279
Hirokawa, N., see Tanaka, Y. (596) 269

Inoue, K., Yamaai, T. and Kitada, Y.
Parasympathetic postganglionic nerve fibers in the fungiform papillae of the bullfrog, *Rana catesbeiana* (596) 299
Irifune, M., Shimizu, T., Nomoto, M. and Fukuda, T.
Ketamine-induced anesthesia involves the *N*-methyl-D-aspartate receptor-channel complex in mice (596) 1

Jacobowitz, D.M., see Arai, M. (596) 215
Jégou, S., see Blasquez, C. (596) 163
Jiang, M., see Cerne, R. (596) 111
Johansson, B., see Meana, J.J. (596) 65
Johansson, S. and Århem, P.
Single K^+-channel currents under steady-state potential conditions in small hippocampal neurons (596) 133

Kajander, K.C., see Aanonsen, L.M. (596) 259
Kalsbeek, A., see Feenstra, M.G.P. (596) 169
Kani, K., see Arai, M. (596) 215
Kateb, C.C. and Merali, Z.
A single meal elicits regional changes in bombesin-like peptide levels in the gut and brain (596) 10
Kato, H., Araki, T. and Kogure, K.
Repeated focal cerebral ischemia in gerbils is associated with development of infarction (596) 315
Katsukawa, H., see Ninomiya, Y. (596) 349
Kawahata, K., see Tanaka, Y. (596) 269
Kitada, Y., see Inoue, K. (596) 299
Klein, R.S. and Fricker, L.D.
Cultured astrocytes express mRNA for peptidylglycine-α-amidating monooxygenase, a neuropeptide processing enzyme (596) 202
Kogure, K., see Kato, H. (596) 315
Koolhaas, J.M., see Roozendaal, B. (596) 35

Lahiri, S., see Spergel, D. (596) 80
Lajtha, A., see Benuck, M. (596) 296
Lake, N.
Taurine, GABA and GFAP immunoreactivity in the developing and adult rat optic nerve (596) 124
Lancel, M., Van Riezen, H. and Glatt, A.
The time course of σ activity and slow-wave activity during NREMS in cortical

and thalamic EEG of the cat during baseline and after 12 hours of wakefulness (596) 285
Levine, J.D., see Miaskowski, C. (596) 41
Luiten, P.G.M., see De Jong, G.I. (596) 345

Mathé, A.A., see Stenfors, C. (596) 251
McLaughlin, P.J., see Zagon, I.S. (596) 149
Meana, J.J., Johansson, B., Herrera-Marschitz, M., O'Connor, W.T., Goiny, M., Parkinson, F.E., Fredholm, B.B. and Ungerstedt, U.
Effect of the neurotoxin AF64A on intrinsic and extrinsic neuronal systems of rat neostriatum measured by in vivo microdialysis (596) 65
Merali, Z., see Kateb, C.C. (596) 10
Mesulam, M.-M., see Coleman, A.E. (596) 340
Miaskowski, C. and Levine, J.D.
Inhibition of spinal opioid analgesia by supraspinal administration of selective opioid antagonists (596) 41
Middlemiss, D.N., see Pangalos, M.N. (596) 223
Miñana, M.D., Felipo, V. and Grisolía, S.
Differential effects of the protein kinase C inhibitors H7 and calphostin C on the cell cycle of neuroblastoma cells (596) 157
Misawa, M., see Narita, M. (596) 209
Mobbs, C.V., see Olazábal, U.E. (596) 311
Moore, H., Sarter, M. and Bruno, J.P.
Age-dependent modulation of in vivo cortical acetylcholine release by benzodiazepine receptor ligands (596) 17

Nabeshima, A., see Narita, M. (596) 209
Nagase, H., see Narita, M. (596) 209
Nakata, T., see Tanaka, Y. (596) 269
Narita, M., Suzuki, T., Misawa, M., Nagase, H., Nabeshima, A., Ashizawa, T., Ozawa, H., Saito, T. and Takahata, N.
Role of central ATP-sensitive potassium channels in the analgesic effect and spinal noradrenaline turnover-enhancing effect of intracerebroventricularly injected morphine in mice (596) 209
Newman, S.W., see Wood, R.I. (596) 89
Ninomiya, Y., Nomura, T. and Katsukawa, H.
Genetically variable taste sensitivity to D-amino acids in mice (596) 349
Nishimura, Y., Asahara, T., Yamamoto, T. and Tanaka, T.
Observations on morphology and electrophysiological properties of the normal and axotomized facial motoneurons in the cat (596) 305
Nomoto, M., see Irifune, M. (596) 1
Nomura, T., see Ninomiya, Y. (596) 349
Nordberg, A., see Svensson, A.-L. (596) 142
Nowicki, J.P., see Poignet, H. (596) 320

O'Connor, W.T., see Meana, J.J. (596) 65
Ohtake, M., see Sakaguchi, T. (596) 337
Olazábal, U.E., Pfaff, D.W. and Mobbs, C.V.
Sex differences in the regulation of heat shock protein 70 kDa and 90 kDa in the rat ventromedial hypothalamus by estrogen (596) 311
Otto-Smith, M.R., see Connelly, C.A. (596) 99
Ozawa, H., see Narita, M. (596) 209

Pangalos, M.N., Francis, P.T., Foster, A.C., Pearson, R.C.A., Middlemiss, D.N. and Bowen, D.M.
NMDA receptors assessed by autoradiography with [^{3}H]L-689,560 are present but not enriched on corticofugal-projecting pyramidal neurones (596) 223
Parkinson, F.E., see Meana, J.J. (596) 65
Pearson, R.C.A., see Pangalos, M.N. (596) 223
Pfaff, D.W., see Olazábal, U.E. (596) 311
Pittman, Q.J., see Willcox, B.J. (596) 58
Poignet, H., Nowicki, J.P. and Scatton, B.
Lack of neuroprotective effect of some σ ligands in a model of focal cerebral ischemia in the mouse (596) 320
Poulin, P., see Willcox, B.J. (596) 58
Prendergast, M.A., see Yells, D.P. (596) 73
Price, B.H., see Coleman, A.E. (596) 340
Prince, R.J. and Simmonds, M.A.
Propofol potentiates the binding of [^{3}H]flunitrazepam to the $GABA_A$ receptor complex (596) 238

Ramacci, M.T., see Benuck, M. (596) 296
Randić, M., see Cerne, R. (596) 111
Regoli, D., see Tousignant, C. (596) 243
Robbins, A., Berkley, K.J. and Sato, Y.
Estrous cycle variation of afferent fibers supplying reproductive organs in the female rat (596) 353
Rompré, P.-P., see Henry, D.J. (596) 231
Roozendaal, B., Wiersma, A., Driscoll, P., Koolhaas, J.M. and Bohus, B.
Vasopressinergic modulation of stress responses in the central amygdala of the Roman high-avoidance and low-avoidance rat (596) 35

Saito, T., see Narita, M. (596) 209
Sakaguchi, T., Aono, T. and Ohtake, M.
Enhanced gastric acid secretion induced by gastrin can be suppressed partially by glucose injection into the medullary nuclei in rats (596) 337
Sarter, M., see Moore, H. (596) 17
Sato, Y., see Robbins, A. (596) 353
Scatton, B., see Bourdiol, F. (596) 183
Scatton, B., see Poignet, H. (596) 320
Schuurman, T., see De Jong, G.I. (596) 345
Serrano, A., see Bourdiol, F. (596) 183
Sexton, P.M. and Hilton, J.M.
Biologically active salmon calcitonin-like peptide is present in rat brain (596) 279
Seybold, V.S., see Aanonsen, L.M. (596) 259
Shimizu, T., see Irifune, M. (596) 1
Siekevitz, P., see Aoki, C. (596) 189
Simmonds, M.A., see Prince, R.J. (596) 238
Spergel, D., Lahiri, S. and Wilson, D.F.
Dependence of carotid chemosensory responses on metabolic substrates (596) 80
Srinivasan, G.R., see Stenfors, C. (596) 251
Stenfors, C., Srinivasan, G.R., Theodorsson, E. and Mathé, A.A.
Electroconvulsive stimuli and brain peptides: effect of modification of seizure duration on neuropeptide Y, neurokinin A, substance P and neurotensin (596) 251
Suzuki, T., see Narita, M. (596) 209
Svensson, A.-L., Alafuzoff, I. and Nordberg, A.
Characterization of muscarinic receptor subtypes in Alzheimer and control brain cortices by selective muscarinic antagonists (596) 142
Swann, J.M., see Wood, R.I. (596) 89

Takahata, N., see Narita, M. (596) 209
Tanaka, T., see Nishimura, Y. (596) 305
Tanaka, Y., Kawahata, K., Nakata, T. and Hirokawa, N.
Chronological expression of microtubule-associated proteins (MAPs) in EC cell P19 after neuronal induction by retinoic acid (596) 269
Theodorsson, E., see Stenfors, C. (596) 251
Tousignant, C., Chrétien, L., Guillemette, G. and Regoli, D.
Characterization of NK-1 receptors in guinea pig and rat brain membranes with NK-1 peptides and a non-peptide antagonist (596) 243
Turgeon, S.M. and Albin, R.L.
Zinc modulates $GABA_B$ binding in rat brain (596) 30

Ungerstedt, U., see Meana, J.J. (596) 65

Van Galen, H., see Feenstra, M.G.P. (596) 169
Van Riezen, H., see Lancel, M. (596) 285
Vaudry, H., see Blasquez, C. (596) 163
Veale, W.L., see Willcox, B.J. (596) 58

White, F.J., see Henry, D.J. (596) 231
Wiersma, A., see Roozendaal, B. (596) 35
Wiley, R.G., see Harrison, M.B. (596) 330
Willcox, B.J., Poulin, P., Veale, W.L. and Pittman, Q.J.
Vasopressin-induced motor effects: localization of a sensitive site in the amygdala (596) 58
Wilson, D.F., see Spergel, D. (596) 80
Wise, R.A., see Henry, D.J. (596) 231
Wood, R.I., Brabec, R.K., Swann, J.M. and Newman, S.W.
Androgen and estrogen concentrating neurons in chemosensory pathways of the male Syrian hamster brain (596) 89
Wu, K., see Aoki, C. (596) 189

Yamaai, T., see Inoue, K. (596) 299
Yamamoto, T., see Nishimura, Y. (596) 305
Yells, D.P., Hendricks, S.E. and Prendergast, M.A.
Lesions of the nucleus paragigantocellularis: effects on mating behavior in male rats (596) 73

Zagon, I.S., Gibo, D.M. and McLaughlin, P.J.
Ontogeny of zeta (ζ), the opioid growth factor receptor, in the rat brain (596) 149

Zhang, D. and Eldred, W.D.
Colocalization of enkephalin-, glucagon-, and corticotropin-releasing factor-like immunoreactivity in GABAergic amacrine cells in turtle retina (596) 46